

Request Form Export

böse

••• ist gut!

Please keep this space blank



+ 49 - (0) 51 27 - 90 20 5-0

Fax: + 49 - (0) 51 27 - 90 20 5-55

E-Mail: mail@labor-boese.de

Labor Dr. Böse GmbH

Carl-Zeiss-Str. 6

DE-31177 Harsum

Sender Pls use block capitals

Customer Number (if available):

Name:

Street:

Post code, town:

Country:

Phone: Fax:

e-mail:

Date, signature:

Owner Pls use block capitals

Customer Number (if available):

Name:

Street:

Post code, town:

Country:

Phone: Fax:

e-mail:

Invoice Recipient Pls use block capitals

Setting up a new customer account will be charged 8 €

Customer Number (if available):

Name:

Street:

Post code, town:

Country:

Phone: Fax:

e-mail:

VAT Number:

Invoice dispatch by post by e-mail

Horse ID Pls use block capitals

Name:

Life Number (UELN):

Chip Number:

SIRE (France):

Date of Birth:

Sex:

Colour:

Sample Specification

Date of sampling:

Time of sampling:

Type of specimen, sampling site:

Serum Swab:

Whole blood Native material:

EDTA blood/ Biopsy:

-plasma Cytolog. smear:

Blood smear Others:

Blood culture flask

Follow-up testing, see order no.:



Report

Language: german english french

Original per Post: yes no

Original to:

Copy to (fax/e-mail):

www.labor-boese.de

- Request forms
- Ordering shipping materials
- Access to our web portal:
Reports, invoices, online payment

Date, signature (always required)

Order acceptance only in accordance with our General Terms and Conditions, visit: www.labor-boese.de

Export Testing

Export: permanent temporary

To:

Competition (location):

Date of export:

Serology and Direct Detection

Piroplasmosis, Th. equi and B. caballi

- IFAT, C-ELISA, CFT (serum)
- IFAT, C-ELISA (serum)
- IFAT, CFT (serum)
- IFAT (serum)
- Direct Detection (EDTA blood)

EIA Equine Infectious Anemia

- Coggins-Test (serum)
- ELISA (serum)

Dourine

- CFT (serum)

Glanders, Malleus

- CFT (serum)

EVA Equine Viral Arteritis

- VNT (serum)
- VI (native semen) } 10 - 20 ml each, cooled
- PCR (native semen) } overnight transport

Leptospirosis

- MAT (serum)

Salmonella abortus equi

- SAT (serum)

Vesicular Stomatitis, serotypes Indiana and New Jersey

- VNT* (serum)

EHV-1 Equine Herpes Virus Type 1

- VNT (serum)
- PCR (dry swab)

EHV-4 Equine Herpes Virus Type 4

- VNT (serum)
- PCR (dry swab)

EHV-3 Equine Coital Exanthema

- PCR (dry swab)

Equine Influenza A

- HI, A equi I, II europ. and americ. type (serum)
- PCR (dry swab)

Surra, Trypanosoma evansi

- Microscopic detection (EDTA blood)

AHS African Horse Sickness

- C-ELISA (serum)

WNV West Nile Virus

- ELISA IgM (serum)
- ELISA IgM and IgG (serum)

Strangles, Streptococcus equi subsp. equi

- BE aerobic and PCR (culture swab**)

Ehrlichiosis, A. phagocytophilum

- IFAT (serum)

Brucellosis

- CFT* (serum)


Salmonella typhimurium

- Culture (faeces, min. 50 g)


CEM, Contagious Equine Metritis

Important: Swabs in AMIES transport medium with charcoal. Cooled overnight transport. Culture required for export. PCR as a pre-test, result after 1 - 2 days.

Mares



Stallions



Doping

Sample material: a minimum of 10 ml of serum or 50 ml of urine, or use of the BEREK-Horse-Kit (please specify the kit internal ID number).

Drug Screening*

NSAIDs, plasma cortisol level, synth. corticosteroids, tranquilizers, local anaesthetics, clenbuterol, methylxanthines/stimulants

Sample storage (max. 6 months)

for later analysis on request

Additional Tests / Comments

Abbreviations / Explanations

BE	Bacteriological Examination	SAT	Slow Agglutination Test
CFT	Complement Fixation Test	VI	Virus Isolation
ELISA	Enzyme Linked Immunosorbent Assay	VNT	Virus Neutralisation Test
HI	Haemagglutination Inhibition	*	Performed by an accredited partner laboratory
IFAT	Immunofluorescent Antibody Test	**	Swab in transport medium (e. g. AMIES)
MAT	Microagglutination Test		
PCR	Polymerase Chain Reaction		